

09/11/00  
JCE41 U.S. PTO  
Form PTO-1082

09-12-00

A

Case Docket No. ROC920000078US1  
September 11, 2000  
Express Mail Label No. EL484106154US  
0021.0010

ASSISTANT COMMISSIONER FOR PATENTS  
Washington, D.C. 20231

Dear Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): C. L. Bates; P. R. Day; and J. M. Santosuosso  
For: **METHOD, SYSTEM, AND PROGRAM FOR CHECKING CONTACT INFORMATION**

Enclosed are:

- ☒ 5 No. of Sheets of Drawings Sheet(s) of drawings ( ☒ informal ) + 0 extra copies;  
26 pages of Application; 13 pages of specification, 1 page of abstract  
☒ An assignment of the invention to International Business Machines Corporation. ( ☐ Will follow.)  
An associate power of attorney.  
A verified statement to establish small entity status under 37 CFR 1.9 and 1.27.  
☒ Declaration and Power of Attorney. ( ☐ Will follow.)  
Certified copy of Patent Application No. filed from which priority is claimed under 35 U.S.C. §119.  
IDS enclosed. ☐ with references.

JCE41 U.S. PTO  
09/11/00  
09/1658078

CALCULATION OF FEES						
ITEM		NO. OF CLAIMS FILED MINUS BASE*	NO. OF CLAIMS OVER BASE	X SM/LG ENTITY FEE	\$ AMOUNT	\$ FEE
A	TOTAL CLAIMS FEE	42 - 20* =	22	X \$9 or \$18	\$396	
B	INDEPENDENT CLAIMS FEE**	6 - 3* =	3	X \$39 or \$78	\$234	
C	SUBTOTAL - ADDITIONAL CLAIMS FEE (ADD FINAL COLUMN IN LINES A + B)					630
D	MULTIPLE-DEPENDENT CLAIMS FEE				SMALL ENTITY FEE = \$130; LARGE ENTITY FEE = \$260	\$0
E	BASIC FEE*				SMALL ENTITY FEE = \$345; LARGE ENTITY FEE = \$690	\$690
F	TOTAL FILING FEE (ADD TOTALS FOR LINES C, D, AND E)					\$1,320
G	ASSIGNMENT RECORDING FEE				\$ 40	\$40
	**LIST INDEPENDENT CLAIMS 1, 12, 15, 26, 29, 40					

Please charge Dep. Acct. No. 50-0585 in the amount of

\$

**A copy of this sheet is enclosed.**

- ☒ A check in the amount of \$ 1,320 to cover the filing fee is enclosed.  
☒ Check for \$ 40 covering the Recordation of Assignment fee enclosed.  
☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 50-0585. **A copy of this sheet is enclosed.**  
☒ Any additional filing fees required under 37 CFR 1.16.  
☒ Any patent application processing fees under 37 CFR 1.17.  
The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 50-0585. **A copy of this sheet is enclosed.**  
☐ Any patent application processing fees under 37 CFR 1.17.  
☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).  
☐ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

Respectfully submitted,

David W. Victor  
Registration No. 39,867

Direct All Correspondence to:  
David W. Victor  
KONRAD RAYNES & VICTOR LLP  
1180 S. Beverly Drive; Suite 501  
Los Angeles, CA 90035

Direct Telephone Calls to:  
(310) 556-7983

Express Mail Label No. EL484106154US  
PATENT  
ROC920000078US  
0021.001

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application for  
C. L. Bates, P. R. Day and  
J. M. Santosuosso  
Serial No.: --  
Filed: September 11, 2000  
For: **METHOD, SYSTEM, AND  
PROGRAM FOR CHECKING  
CONTACT INFORMATION**

Examiner: --

Art Unit: --



CERTIFICATE OF MAILING

Assistant Commissioner of Patents  
Washington, D.C. 20231

Dear Sir:

"Express Mail" Label No. EL484106154US

I hereby certify that patent application papers, including specification, claims and 5 sheets of informal drawings are being deposited with the United States Postal Service "Express Mail Post Office to Addressee" service under 37 C.F.R. 1.10 on the date indicated above and is addressed to the Assistant Commissioner of Patents and Trademarks, Washington, D.C. 20231.

September 11, 2000

(Date of Deposit)

Patricia McLaughlin

(Name of person mailing paper or fee)

*Patricia McLaughlin*  
(Signature)

METHOD, SYSTEM, AND PROGRAM FOR  
CHECKING CONTACT INFORMATION

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

Preferred embodiments provide a method, system, and program for enhancing a spell checking program to handle contact information, such as universal resource locators (URLs), e-mail addresses, names, street addresses, phone numbers, etc.

10 2. Description of the Related Art

Most word processing programs, such as Lotus Word Pro, Microsoft Word, and Corel WordPerfect,\*\* include a spell checker feature. Prior art spell checker programs notify the user of a spelling error whenever encountering an e-mail address, e.g., "joe@us.ibm.com", universal resource locator (URL) address "http://www.ibm.com",  
15 personal name, e.g., "Joe Smith", and street address, e.g., 100 Mullberry Street. Typically, the user of the word processing program will bypass the personal name, street address, e-mail address, and URL address. Thus, prior art spell checkers include limited capability in providing meaningful handling of contact information, such as personal names, street addresses, and electronic addresses, such as e-mail and URL addresses.

20 Accordingly, there is a need in the art to enhance spell checker functionality to provide a more meaningful handling and analysis of names, addresses, phone numbers, and other contact information in a document.

SUMMARY OF THE PREFERRED EMBODIMENTS

25 To overcome the limitations in the prior art described above, preferred embodiments disclose a computer implemented method, system, and program for checking text in an electronic document. Words in the text are scanned and parsed. For each set of one or more scanned and parsed words, a determination is made of whether

one or more words form a contact phrase providing information to identify or address a person or entity. After one contact phrase is scanned, contact information is accessed including contact phrases. The contact information is searched to determine if the scanned contact phrase matches contact phrases in the searched contact information.

5           In further embodiments, contact phrases comprise one of a name, phone number, street address, e-mail address, and URL. Further, the contact information may comprise contact records for different contacts in a computer readable address book. In such case, each contact record is capable of including multiple different contact phrases for one contact person or entity.

10           In still further embodiments, a determination is made of one or more contact phrases in the contact information that are similar to the scanned contact phrase if the scanned contact phrase does not match one contact phrase in the contact information. The determined similar contact phrases are displayed. Moreover, the user is capable of selecting one displayed similar contact phrase to substitute for the scanned contact phrase.

15           Additional embodiments concern, a method, system, and program for checking contact phrases providing information to identify or address a person or entity in a contact record in a computer readable address book. One contact phrase in one of the contact records in the address book is accessed. A search request is submitted to a computer readable directory over a network. The directory provides searchable contact information  
20 including contact phrases on persons or entities. The search request determines whether the accessed contact phrase from one contact record matches one contact phrase in the directory. Search results information is received from the directory. The received search result information may be used to update one or more contact phrases in one contact record of the address book.

25           Preferred embodiments provide a computer implemented technique to enhance spell checker programs to improve the handling and checking of contact information, such as names and contact addresses of persons and entities. Further embodiments provide additional on-line checking of contact information in a document or contact

information in a computer readable address book by accessing a computer readable directory over a network, such as the Internet.

### BRIEF DESCRIPTION OF THE DRAWINGS

5 Referring now to the drawings in which like reference numbers represents corresponding parts throughout:

FIG. 1 illustrates a computing environment in which preferred embodiments are implemented;

10 FIG. 2 illustrates a graphical user interface (GUI) form displaying contact fields in a record in an address book in a manner known in the art;

FIG. 3 illustrates a replacement box used with a spell checker program in accordance with preferred embodiments of the present invention;

15 FIG. 4 illustrates logic implemented in a spell checker program to perform spell checking operations with respect to contact phrases, such as e-mail addresses, street addresses, names, phone numbers, etc., in accordance with preferred embodiments of the present invention; and

FIG. 5 illustrates logic to check contact information located by a spell checker program or check records of an address book against an Internet directory in accordance with preferred embodiments of the present invention.

20

### DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following description, reference is made to the accompanying drawings which form a part hereof, and which illustrate several embodiments of the present invention. It is understood that other embodiments may be utilized and structural and operational changes may be made without departing from the scope of the present invention.

25

FIG. 1 illustrates a computing environment in which preferred embodiments are implemented. The computing environment includes a computer system 2 having a

processor 4 and a memory 6. The processor 4 may comprise any computer microprocessor device known in the art. The memory 6 may comprise any computer volatile memory device known in the art for storing data structures that the processor 4 is accessing and processing. Alternatively, the memory 6 may comprise any type of non-  
5 volatile storage device known in the art capable of being accessed by the processor 4, such as a hard disk drive, tape drive, etc.

The memory 6 includes a text editor program 12, a spell checker program 14, address book 16, and document 18. The text editor program 12 executes in memory 6 to provide a graphical user interface (GUI) text editing tool known in the art, such as  
10 WordPerfect, Microsoft Word, Lotus Word Pro, etc.\*\* The spell checker program 14 may be a component within the installed text editor program 12 or a separate utility that is integrated with the text editor program 12 user interface. The spell checker program 14 includes the spell checking capabilities of spell checking programs known in the art and the additional capabilities of the preferred embodiments described herein. The address  
15 book 16 comprises a computer readable database of address and contact information maintained by the user, a program for accessing the address book 16, and an interface to allow the user to input contact information. The address book 16 may be part of an e-mail program or personal information manager (PIM) program known in the art. The spell checker program 14 utilizes interface calls in order to access information from the  
20 address book 16.

An Internet checking program 20 comprises a program object or function within the spell checker 14 and/or address book 16 program that is used to check contact information against information maintained in an Internet directory. For instance, if the contact information includes a URL address, then the Internet checking program 20 may  
25 check the format of the URL address or ping the address over the Internet to determine if the URL link is still valid.

The system further includes a display monitor 22 for displaying the graphical user interface (GUI) of the text editor program 12 and at least one input device 24, such as a

touch pad, touch screen, mouse, pen stylus, keyboard, voice activated input, and/or any other input device known in the art capable of selecting displayed graphical elements and entering user input. Further, the computer 2 is connected to the Internet 26 and is capable of accessing Internet directories 28, such as the Yahoo Yellow pages or other on-line  
5 databases of phone numbers and contact addresses for persons and entities.

FIG. 2 illustrates an example of a graphical user interface (GUI) contact form 50 known in the art in which the user may review, revise, or enter contact information in a contact record in the address book 16 database. The contact form 50 displays the contact name, company, home phone number, business phone number, e-mail, and other contact  
10 information from a contact record in the address book 16. The contact form 50 further includes a "Check Internet Directory button" 52. Selection of this button 52 causes the address book 16 program to access an Internet directory 24 over the Internet 26 to search the Internet directory 28 using the full name information in the displayed contact form 50. Further, if the Internet directory 28 allows for "reverse look-ups", i.e., searching for a  
15 name from a telephone number, address or e-mail, then the address book 16 program may perform a reverse look-up search of the Internet directory 28 using the contact information in the address, telephone, and/or e-mail fields in the contact form 50. The address book program 16 may then display to the user the results of the reverse look up to allow the user to check or verify the information in the contact form 50 or allow the user  
20 to enter contact information from the search result in empty or already full fields, e.g., phone numbers, e-mail etc., located from the reverse look-up.

FIG. 3 illustrates a replacement box 60 that is displayed by the spell checker 14 when identifying a name or contact address (e.g., phone number, e-mail, street address, etc.) of a person or entity in the document 18 that does not match names or contact  
25 addresses in the address book 16. In the replacement box 60 embodiment of FIG. 3, the spell checker 14 highlights 62 the contact phrase in text 64 that fails to match an entry in the address book 16 and displays the non-matching contact phrase in a "Replace with" box 66. The closest matching replacements found in the address book 16 are displayed in

the "Replacements" box 68. The user may select the "Skip" button 70 to leave the highlighted contact phrase 62 unchanged in the text 64 or the "Skip All" button 72 to leave all instances of the contact phrase 62 unchanged in the text 64. The "Replace" button 76 is selected to replace the highlighted contact phrase 62 in the text 64 with a highlighted word in the "Replacements" box 66 or a new contact phrase the user enters into the "Replace with" box 66. Selection of the "Add to Address Book" button 78 displays a new contact record form from the address book 16, such as the record 50 shown in FIG. 2, displaying the highlighted 62 contact phrase in the "Replace with" box in the appropriate contact field in the address record. The user may fill in additional information in the other fields in the address record 50 then save the new record in the address book 16.

The user may further select the "Check Internet Directory" button 80 to cause the spell checker 14 to access a default or user specified Internet directory 28 over the Internet 26 and then search the Internet directory for the highlighted contact phrase 62. If there is a match, then the spell checker 14 could display a dialog box stating that a match occurred and further information on the matching entry in the Internet directory 28. The user may also be alerted if there is no match in the Internet directory 28.

FIG. 4 illustrates program logic implemented in the spell checker 14 to provide special handling for contact phrases, such as entity or person names, telephone numbers, e-mail addresses, street addresses, URLs, etc. At block 100, the spell checker 14 is invoked. In preferred embodiments the spell checker 14 is invoked from the text editor 12 user interface to spell check words within a selected area of text or the entire document 18. The spell checker 14 scans and parses (at block 102) a group of one or more words in a manner known in the art and determines (at block 104) whether one or more of the scanned words form a contact phrase (e.g., e-mail address, street address, name, telephone number, etc.) according to a set of contact phrase rules. In preferred embodiments, the spell checker 14 would maintain a set of rules of formats for contact phrases. If one or more consecutive words constitute a contact phrase according to the set



of contact phrase rules, then the spell checker 14 determines (at block 106) whether the scanned contact phrase matches any contact phrase in an appropriate contact phrase field of one address book 16 record. This step would require that the spell checker 14 use specialized address book 16 application program interfaces (API) to query records in the  
5 address book 16.

In preferred embodiments, the address book 16 comprises a database of contact records, where each contact record includes fields for different types of contact phrases (e.g., e-mail address, street address, name, telephone number, etc.). In such case, as part of determining whether the scanned word(s) constitute a contact phrase according to  
10 contact rules, the spell checker 14 would also determine the type of contact phrase, e.g., e-mail address, street address, name, telephone number, etc. The spell checker 14 could then query the fields in the address book 16 records that correspond to the determined type of contact phrase. For instance, if the type of contact phrase is an e-mail address, then the spell checker would query the e-mail field in the address book 16 records; if the  
15 type is a telephone number, then the spell checker 14 would query all telephone number fields, e.g., business, home, fax, in the address book 16 records.

If (at block 106) the scanned contact phrase matches a field in one or more address book 16 records, then the spell checker 14 determines (at block 108) whether there are further strings to check. If not, the checking ends. Otherwise, if there are  
20 further words to check, then the spell checker 14 scans and parses (at block 109) the next words in the search area and returns to block 104. Otherwise, if (at block 106) the contact phrase does not match, then the spell checker 14 displays (at block 110) the replacement box 60 (FIG. 3) with the scanned contact phrase displayed in the "Replace with" box 66 and determined similar entries in the searched address book 16 records in the  
25 "Replacements" box 68. The user may then perform one of the actions in the replacement box 60 described above. After selecting a particular replacement action with respect to the scanned contact phrase, control proceeds to block 108 to scan and parse further words in the selected portion of the document 18 being checked by the spell checker 14.

If (at block 104) one or more of the scanned words do not constitute a contact phrase, then the spell checker 14 determines (at block 112) whether the scanned word constitutes a URL according to a set of URL rules. If the scanned word is not a URL, then the spell checker 14 handles (at block 114) the scanned word using a dictionary  
5 maintained by the spell checker in a manner known in the art. If the scanned word is a URL, then the spell checker 14 determines (at block 118) whether the scanned URL is in a URL list maintained in memory 6. The URL list comprises a list of URLs that the user has previously accessed or approved. If the scanned URL matches a URL in the URL list, then control proceeds to block 108 to consider further words in the document 18.  
10 Otherwise, if the URL does not match, then the spell checker 14 displays the replacement box 60 including the scanned URL in the "Replace with" box 66 and similar URLs in the URL list in the "Replacements" box 68. Control then proceeds to block 120 to consider the next words in the document 18.

FIG. 5 illustrates logic implemented in the Internet checking program 20, which  
15 may comprise a program component of the spell checker 14 and/or address book 16 program, to check any contact phrases in the document 18 or in address book 16 records against information maintained in an Internet directory 28. Control begins at block 200 with either the spell checker 14 or address book 16 program invoking the Internet checking program 20 or module. This function may be invoked by selecting the "Check  
20 Internet Directory" button 80 in the replacement box 60 (FIG. 3) to check the contact phrase in the "Replace with" box 60. Alternatively, this mode may be invoked by selection of the "Check Internet Directory" button 52 in the address book 16 contact form 50 (FIG. 2) to check the contact phrases in each contact field. For instance, when invoked from the address book 16, the Internet checking program 20 may search the  
25 Internet directory 28 on the full name in the form 50 to check whether the Internet directory 28 includes a street address, e-mail address or phone numbers for the checked name. Still further, the address book program 16 may perform a reverse look-up using the e-mail address or phone numbers maintained with the address book 16 record for the

contact to verify the name and other contact information in the address book records 16 against the reverse look-up search results.

If (at block 202) the check is of a URL, then the Internet checking program 20 sends (at block 204) a ping over the Internet 26 to the URL. If (at block 206) a response  
5 to the ping is returned, then the Internet checking program 20 displays (at block 208) a message that the URL is active; otherwise, a message is displayed (at block 210) that the URL is not active. If (at block 202) the contact phrase being checked is not a URL, and instead a contact name or contact address (e.g., street address, e-mail address, phone number, etc.), then the Internet checking program 20 accesses (at block 212) the Internet  
10 directory 26 over the Internet 26 and submits (at block 214) a search using the contact phrase in the "Replacement with" box 66 or in the address book 16 record.

At block 216, the Internet checking program 20 receives the search results of the Internet directory 28, which may indicate that there were no matches, or provide a matching entry in the Internet directory 28, which would likely include additional contact  
15 information for the contact phrase searched. If the Internet checking program 20 is integrated with the spell checker 14, then the Internet checking program 20 may determine whether the contact phrase in the "Replacement with" box 66 is found in the Internet directory 24. If the searched contact phrase is a name, then the Internet checking program 20 may display to the user related contact information for that person. If the  
20 searched on contact phrase is a contact address, such as an e-mail address, street address, phone number ,etc., then the Internet checking program 20 may display results from a reverse look-up operation. In this way, the user may review related contact information when invoking the Internet checking function during a spell check operation.

If the Internet checking program 20 is integrated with the address book 16  
25 program and the contact name is searched, then the search results may provide related contact addresses for the searched name, e.g., phone number, e-mail, street address, etc. The Internet checking program 20 may then compare the returned search results with contact information stored in the address book 16 record to determine any discrepancies.

The Internet checking program 16 may then display an interface to alert the user of discrepancies or prompt the user to input returned contact results into fields in the address book 16 record, or replace information in the address book 16 record fields with the contact search results.

5           In further embodiments, the user may schedule the Internet checking program 20 to perform periodic checking of all records in the address book 16 against information maintained in the Internet directory 26 during off-hours. The results may then be presented to the user to notify the user of any inconsistencies and allow the user to input the returned contact information in the appropriate fields in the address book 16 records.

10           In still further embodiments, the spell checker 14 may check the consistency of the syntax used in contact phrases, such as telephone numbers, URL addresses etc. The spell checker 14 would buffer all contact information to be checked for inconsistencies. After checking the entire page or selected area, the spell checker 14 would compare the syntax used for buffered contact phrases of a particular type and notify the user of any  
15 inconsistencies in the syntax used. For instance, the spell checker 14 would compare the format used for phone numbers, e.g., 310-555-5555, 555-5556, (310) 555-5557, and note that in each case a different syntax was used for the numbers. The spell checker 14 would alert the user to the presence of different syntax for phone numbers. Similarly, the spell checker 14 may compare the syntax of URLs in the document, e.g., www.ibm.com,  
20 http://www.ibm.com, etc., and notify the user of any inconsistency. Still further, the spell checker 14 could check whether the syntax of a URL is correct, such as checking whether the correct forward slashes "/" following the "http" are used as opposed to incorrectly using back slashes "\\". This consistency checking feature allows the user to improve the appearance of the document by consistently using the same format for contact  
25 information.

Preferred embodiments provide a program and user interface to extend the capabilities of spell checker programs to provide spell checking and confirmation of contact phrases in a document 18. Further, preferred embodiments provide a technique

for real-time checking of address information entered into a document 18 or in address  
book 16 records against an Internet directory 28 over the Internet 26. Preferred  
embodiments extend spell checker functions to accommodate the frequent use of  
electronic addresses and URLs that are often included in business and personal  
5 documents generated by word processing programs.

### Alternative Embodiments and Conclusions

This concludes the description of the preferred embodiments of the invention. The  
following describes some alternative embodiments for accomplishing the present  
10 invention.

The preferred embodiments may be implemented as a method, apparatus or  
program using standard programming and/or engineering techniques to produce software,  
firmware, hardware, or any combination thereof. The program, code and instructions in  
which the preferred embodiments are implemented are accessible from and embedded in  
15 an information bearing medium, which may comprise one or more computer-readable  
devices, firmware, programmable logic, memory devices (e.g., EEPROMs, ROMs,  
PROMs, RAMs, SRAMs, etc.), hardware, electronic devices, a computer readable  
magnetic storage unit, CD-ROM, a file server providing access to the programs via a  
network transmission line, wireless transmission media, signals propagating through  
20 space, radio waves, infrared signals, etc. Of course, those skilled in the art will recognize  
that many modifications may be made to this configuration without departing from the  
scope of the present invention.

The preferred algorithm described particular steps as occurring in a particular  
order. However, in further embodiments the order of the steps may be changed and  
25 certain steps removed and added without departing from the scope of the invention.  
Moreover, different steps may be performed to execute the overall operation of the  
algorithm.

The preferred embodiment GUIs, such as the address book form 50 and replacement box 60 provided particular fields in a particular layout. However, any GUI arrangement may be used to present the information and functions provided herein to the user. Further, the GUI panels described in FIGs. 2 and 3 may include more or less  
5 information than shown in the exemplar figures.

The preferred embodiment GUI was described as having particular pushbuttons to cause a particular set of actions to occur. In further embodiments, the GUI panels for the composition tool may include additional pushbuttons to provide additional functions or combinations of functions described herein.

10 In preferred embodiments, the Internet checking program 20 checked a single Internet directory 28 over the Internet 26. In alternative embodiments, multiple Internet directories may be checked. Alternatively, directories stored locally or available over other networks known in the art, e.g., an Intranet, private LAN, etc., may be checked.

In summary, the present invention provides a computer implemented method,  
15 system, and program for checking text in an electronic document. Words in the text are scanned and parsed. For each set of one or more scanned and parsed words, a determination is made of whether one or more words form a contact phrase providing information to identify or address a person or entity. After one contact phrase is scanned, contact information is accessed including contact phrases. The contact information is  
20 searched to determine if the scanned contact phrase matches contact phrases in the searched contact information.

The foregoing description of the preferred embodiments of the invention has been presented for the purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed. Many modifications  
25 and variations are possible in light of the above teaching. It is intended that the scope of the invention be limited not by this detailed description, but rather by the claims appended hereto. The above specification, examples and data provide a complete description of the manufacture and use of the composition of the invention. Since many

embodiments of the invention can be made without departing from the spirit and scope of the invention, the invention resides in the claims hereinafter appended.

- 
- 5    \*\*WordPerfect is a registered trademark of Corel Corporation; Word Pro is a registered trademark of Lotus Development Corporation.

WHAT IS CLAIMED IS:

- 1           1.       A computer implemented method for checking text in an electronic  
2 document, comprising:  
3           scanning and parsing words in the text;  
4           for each set of one or more scanned and parsed words, determining whether one or  
5 more words form a contact phrase providing information to identify or address a person  
6 or entity; and  
7           after scanning one contact phrase, performing:  
8               (i) accessing contact information including contact phrases; and  
9               (ii) searching the contact information to determine if the scanned contact  
10 phrase matches contact phrases in the searched contact information.
- 1           2.       The method of claim 1, wherein contact phrases comprise one of a name,  
2 phone number, street address, e-mail address, and URL.
- 1           3.       The method of claim 1, further comprising:  
2           determining one or more contact phrases in the contact information that are  
3 similar to the scanned contact phrase if the scanned contact phrase does not match one  
4 contact phrase in the contact information; and  
5           displaying the determined similar contact phrases, wherein the user is capable of  
6 selecting one displayed similar contact phrase to substitute for the scanned contact phrase.
- 1           4.       The method of claim 1, further comprising:  
2           displaying a graphical box for one scanned contact phrase that does not match  
3 contact phrases in the contact information, wherein the user is capable of using the  
4 displayed graphical box to accept the scanned contact phrase or select another contact  
5 phrase to substitute for the scanned contact phrase.



1           5.       The method of claim 4, further comprising:  
2           determining at least one contact phrase in the contact information that is similar,  
3           but not identical, to the scanned contact phrase if the scanned contact phrase does not  
4           match one contact phrase in the contact information; and  
5           displaying the determined contact phrases in the displayed graphical box, wherein  
6           the user is capable of using the displayed graphical box to select one displayed contact  
7           phrase to substitute for the scanned contact phrase.

1           6.       The method of claim 1, wherein the contact information comprises  
2           contact records for different contacts in a computer readable address book, wherein each  
3           contact record is capable of including multiple different contact phrases for one contact.

1           7.       The method of claim 1, wherein the scanned contact phrase comprises a  
2           URL address, further comprising:  
3           determining whether the scanned URL contact phrase addresses an accessible  
4           page on the Internet; and  
5           presenting information indicating whether the scanned URL addresses an  
6           accessible page on the Internet.

1           8.       The method of claim 1, wherein the scanned contact phrase comprises a  
2           name or contact address, further comprising:  
3           submitting a search request over the Internet to an Internet directory for the  
4           scanned contact phrase; and  
5           receiving information indicating that there is no match for the scanned contact  
6           phrase in the Internet directory or that there is a match.

1           9.     The method of claim 1, further comprising:  
2           adding the scanned contact phrase to the contact information if the scanned  
3           contact phrase does not match one contact phrase in the contact information.

1           10.    The method of claim 1, further comprising:  
2           buffering contact phrases of a same type of contact information;  
3           determining whether the buffered contact phrases of the same type use consistent  
4           syntax; and  
5           notifying a user of inconsistencies in the syntax for the buffered contact phrases.

1           11.    The method of claim 1, wherein the scanned contact phrases include at  
2           least one URL address, further comprising:  
3           determining whether each scanned URL contact phrase uses a correct URL  
4           syntax; and  
5           notifying the user of incorrect syntax for at least one of the scanned URL contact  
6           phrases.

1           12.    A method for checking contact phrases providing information to identify  
2           or address a person or entity in a contact record in a computer readable address book,  
3           comprising:  
4           accessing one contact phrase in one of the contact records in the address book;  
5           submitting a search request to a computer readable directory over a network,  
6           wherein the directory provides searchable contact information including contact phrases  
7           on persons or entities, wherein the search request determines whether the accessed  
8           contact phrase from one contact record matches one contact phrase in the directory;  
9           receiving search result information from the directory; and  
10          providing the capability to use the received search result information to update  
11          one or more contact phrases in one contact record of the address book.

1           13.     The method of claim 12, wherein the accessed contact phrase submitted  
2 with the search request comprises a contact name and wherein the received search results  
3 includes one or more contact addresses, further comprising:  
4           determining whether the returned contact addresses matches contact phrases in the  
5 contact record including the accessed contact name; and  
6           providing information indicating that the contact phrases in the contact record do  
7 not match returned contact addresses from the directory.

1           14.     The method of claim 12, wherein the accessed contact phrase submitted  
2 with the search request comprises one contact address from the contact record, wherein  
3 the received search results includes one contact name, further comprising:  
4           determining whether the returned contact name matches a name contact phrase in  
5 the contact record including the accessed contact address; and  
6           providing information indicating that the contact address in the contact record  
7 does not match the returned contact address from the directory.

1           15.     A system for checking text in an electronic document, comprising:  
2           a computer;  
3           a computer readable medium including a computer program, wherein the  
4 computer program causes the computer to perform:  
5           (i) scanning and parsing words in the text;  
6           (ii) for each set of one or more scanned and parsed words, determining  
7 whether one or more words form a contact phrase providing information to  
8 identify or address a person or entity; and  
9           (iii) after scanning one contact phrase, performing:  
10           (a) accessing contact information including contact phrases; and

11 (b) searching the contact information to determine if the scanned  
12 contact phrase matches contact phrases in the searched contact  
13 information.

1 16. The system of claim 15, wherein contact phrases comprise one of a name,  
2 phone number, street address, e-mail address, and URL.

1 17. The system of claim 15, further comprising:  
2 a display monitor;  
3 wherein the computer program further causes the computer to perform:  
4 (i) determining one or more contact phrases in the contact information that  
5 are similar to the scanned contact phrase if the scanned contact phrase does not  
6 match one contact phrase in the contact information; and  
7 (ii) displaying the determined similar contact phrases on the display  
8 monitor, wherein the user is capable of selecting one displayed similar contact  
9 phrase to substitute for the scanned contact phrase.

1 18. The system of claim 15, further comprising:  
2 a display monitor;  
3 wherein the computer program further causes the computer to perform displaying  
4 a graphical box for one scanned contact phrase in the display monitor that does not match  
5 contact phrases in the contact information, wherein the user is capable of using the  
6 displayed graphical box to accept the scanned contact phrase or select another contact  
7 phrase to substitute for the scanned contact phrase.

1 19. The system of claim 18, wherein the computer program further causes the  
2 computer to perform:

3 determining at least one contact phrase in the contact information that is similar,  
4 but not identical, to the scanned contact phrase if the scanned contact phrase does not  
5 match one contact phrase in the contact information; and  
6 displaying the determined contact phrases in the displayed graphical box, wherein  
7 the user is capable of using the displayed graphical box to select one displayed contact  
8 phrase to substitute for the scanned contact phrase.

1 20. The system of claim 15, wherein the contact information comprises  
2 contact records for different contacts in a computer readable address book, wherein each  
3 contact record is capable of including multiple different contact phrases for one contact.

1 21. The system of claim 15, wherein the scanned contact phrase comprises a  
2 URL address, and wherein the computer program further causes the computer to perform:  
3 determining whether the scanned URL contact phrase addresses an accessible  
4 page on the Internet; and  
5 presenting information indicating whether the scanned URL addresses an  
6 accessible page on the Internet.

1 22. The system of claim 15, wherein the scanned contact phrase comprises a  
2 name or contact address, and wherein the computer program further causes the computer  
3 to perform:  
4 submitting a search request over the Internet to an Internet directory for the  
5 scanned contact phrase; and  
6 receiving information indicating that there is no match for the scanned contact  
7 phrase in the Internet directory or that there is a match.

1           23.    The system of claim 15, wherein the computer program is further capable  
2 of causing the computer to perform:  
3           adding the scanned contact phrase to the contact information if the scanned  
4 contact phrase does not match one contact phrase in the contact information.

1           24.    The system of claim 15, wherein the computer program is further capable  
2 of causing the computer to perform:  
3           buffering contact phrases of a same type of contact information;  
4           determining whether the buffered contact phrases of the same type use consistent  
5 syntax; and  
6           notifying a user of inconsistencies in the syntax for the buffered contact phrases.

1           25.    The system of claim 15, wherein the scanned contact phrases include at  
2 least one URL address, and wherein the computer program is further capable of causing  
3 the computer to perform:  
4           determining whether each scanned URL contact phrase uses a correct URL  
5 syntax; and  
6           notifying the user of incorrect syntax for at least one of the scanned URL contact  
7 phrases.

1           26.    A system for checking contact phrases providing information to identify or  
2 address a person or entity in a contact record in a computer readable address book,  
3 comprising:  
4           a computer;  
5           a computer readable medium including the address book and a computer program,  
6 wherein the computer program causes the computer to perform:  
7           (i) accessing one contact phrase in one of the contact records in the address  
8           book;

- 9 (ii) submitting a search request to a computer readable directory over a  
10 network, wherein the directory provides searchable contact information including  
11 contact phrases on persons or entities, wherein the search request determines  
12 whether the accessed contact phrase from one contact record matches one contact  
13 phrase in the directory;  
14 (iii) receiving search result information from the directory; and  
15 (iv) providing the capability to use the received search result information  
16 to update one or more contact phrases in one contact record of the address book.

1 27. The system of claim 26, wherein the accessed contact phrase submitted  
2 with the search request comprises a contact name and wherein the received search results  
3 includes one or more contact addresses, wherein the computer program is further capable  
4 of causing the computer to perform:  
5 determining whether the returned contact addresses matches contact phrases in the  
6 contact record including the accessed contact name; and  
7 providing information indicating that the contact phrases in the contact record do  
8 not match returned contact addresses from the directory.

1 28. The system of claim 26, wherein the accessed contact phrase submitted  
2 with the search request comprises one contact address from the contact record, wherein  
3 the received search results includes one contact name, wherein the computer program is  
4 further capable of causing the computer to perform:  
5 determining whether the returned contact name matches a name contact phrase in  
6 the contact record including the accessed contact address; and  
7 providing information indicating that the contact address in the contact record  
8 does not match the returned contact address from the directory.

1           29.    A program for checking text in an electronic document, wherein the  
2 program is implemented in a computer readable medium capable of causing a computer  
3 to perform:

4           scanning and parsing words in the text;

5           for each set of one or more scanned and parsed words, determining whether one or  
6 more words form a contact phrase providing information to identify or address a person  
7 or entity; and

8           after scanning one contact phrase, performing:

9                   (i) accessing contact information including contact phrases; and

10                   (ii) searching the contact information to determine if the scanned contact  
11 phrase matches contact phrases in the searched contact information.

1           30.    The program of claim 29, wherein contact phrases comprise one of a  
2 name, phone number, street address, e-mail address, and URL.

1           31.    The program of claim 29, wherein the program is further capable of  
2 causing the computer to perform:

3           determining one or more contact phrases in the contact information that are  
4 similar to the scanned contact phrase if the scanned contact phrase does not match one  
5 contact phrase in the contact information; and

6           displaying the determined similar contact phrases, wherein the user is capable of  
7 selecting one displayed similar contact phrase to substitute for the scanned contact phrase.

1           32.    The program of claim 29, wherein the program is further capable of  
2 causing the computer to perform:

3           displaying a graphical box for one scanned contact phrase that does not match  
4 contact phrases in the contact information, wherein the user is capable of using the



5 displayed graphical box to accept the scanned contact phrase or select another contact  
6 phrase to substitute for the scanned contact phrase.

1 33. The program of claim 32, wherein the program is further capable of  
2 causing the computer to perform:  
3 determining at least one contact phrase in the contact information that is similar,  
4 but not identical, to the scanned contact phrase if the scanned contact phrase does not  
5 match one contact phrase in the contact information; and  
6 displaying the determined contact phrases in the displayed graphical box, wherein  
7 the user is capable of using the displayed graphical box to select one displayed contact  
8 phrase to substitute for the scanned contact phrase.

1 34. The program of claim 29, wherein the contact information comprises  
2 contact records for different contacts in a computer readable address book, wherein each  
3 contact record is capable of including multiple different contact phrases for one contact.

1 35. The program of claim 29, wherein the scanned contact phrase comprises a  
2 URL address and wherein the program is further capable of causing the computer to  
3 perform:  
4 determining whether the scanned URL contact phrase addresses an accessible  
5 page on the Internet; and  
6 presenting information indicating whether the scanned URL addresses an  
7 accessible page on the Internet.

1 36. The program of claim 29, wherein the scanned contact phrase comprises a  
2 name or contact address and wherein the program is further capable of causing the  
3 computer to perform:

4 submitting a search request over the Internet to an Internet directory for the  
5 scanned contact phrase; and  
6 receiving information indicating that there is no match for the scanned contact  
7 phrase in the Internet directory or that there is a match.

1 37. The program of claim 29, wherein the program is further capable of  
2 causing the computer to perform:  
3 adding the scanned contact phrase to the contact information if the scanned  
4 contact phrase does not match one contact phrase in the contact information.

1 38. The program of claim 29, wherein the program is further capable of  
2 causing the computer to perform:  
3 buffering contact phrases of a same type of contact information;  
4 determining whether the buffered contact phrases of the same type use consistent  
5 syntax; and  
6 notifying a user of inconsistencies in the syntax for the buffered contact phrases.

1 39. The program of claim 29, wherein the scanned contact phrases include at  
2 least one URL address and wherein the program is further capable of causing the  
3 computer to perform:  
4 determining whether each scanned URL contact phrase uses a correct URL  
5 syntax; and  
6 notifying the user of incorrect syntax for at least one of the scanned URL contact  
7 phrases.

1 40. A program for checking contact phrases providing information to identify  
2 or address a person or entity in a contact record in a computer readable address book,

3 wherein the program is implemented in a computer readable medium capable of causing a  
4 computer to perform:

5       accessing one contact phrase in one of the contact records in the address book;  
6       submitting a search request to a computer readable directory over a network,  
7 wherein the directory provides searchable contact information including contact phrases  
8 on persons or entities, wherein the search request determines whether the accessed  
9 contact phrase from one contact record matches one contact phrase in the directory;  
10       receiving search result information from the directory; and  
11       providing the capability to use the received search result information to update  
12 one or more contact phrases in one contact record of the address book.

1       41.    The program of claim 40, wherein the accessed contact phrase submitted  
2 with the search request comprises a contact name, wherein the received search results  
3 includes one or more contact addresses, and wherein the program is further capable of  
4 causing the computer to perform:

5       determining whether the returned contact addresses matches contact phrases in the  
6 contact record including the accessed contact name; and  
7       providing information indicating that the contact phrases in the contact record do  
8 not match returned contact addresses from the directory.

1       42.    The program of claim 40, wherein the accessed contact phrase submitted  
2 with the search request comprises one contact address from the contact record, wherein  
3 the received search results includes one contact name, and wherein the program is further  
4 capable of causing the computer to perform:

5       determining whether the returned contact name matches a name contact phrase in  
6 the contact record including the accessed contact address; and  
7       providing information indicating that the contact address in the contact record  
8 does not match the returned contact address from the directory.

## ABSTRACT

Provided is a computer implemented method, system, and program for checking  
5 text in an electronic document. Words in the text are scanned and parsed. For each set of  
one or more scanned and parsed words, a determination is made of whether one or more  
words form a contact phrase providing information to identify or address a person or  
entity. After one contact phrase is scanned, contact information is accessed including  
contact phrases. The contact information is searched to determine if the scanned contact  
10 phrase matches contact phrases in the searched contact information.

[illegible]

FIG. 1




FIG. 2

50

**Joe Smith** [X]

File Edit View Format Tools Help


Save and close

Full Name	Joe Smith	Business Phone	1-555-555-5555
Company	IBM	Home Phone	1-555-555-5557
Address	1515 Mockingbird Ln. San Jose, CA 95193	Fax	1-555-555-5558
		E-Mail	joe@us.ibm.com

52

Check Internet Directory

FIG. 3



62 Most word processing programs, such as Microsoft Word and Corel WordPerfect, include a spell checker feature. Prior art spell checker programs notify the user of a spelling error whenever encountering an e-mail address, e.g., **joe@us.ibm.com**, universal resource locator (URL) address "http://www.ibm.com", personal name, e.g., "Joe Smith", and street address, e.g., 100 Mullberry Street.

64

FIG. 4







FIG. 5



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET:  
ROC920000078US1

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD, SYSTEM, AND PROGRAM FOR CHECKING CONTACT INFORMATION

the specification of which (check one)

X is attached hereto.  
\_\_\_\_\_ was filed on \_\_\_\_\_  
as Application Serial No. \_\_\_\_\_  
and was amended on \_\_\_\_\_ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)	Priority Claimed
<u>None</u> _____ <u>Yes</u> <u>No</u> (Number) (Country) (Day/Month/Year Filed)	

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56, which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

<u>None</u> _____		
(Application Serial No.)	(Filing Date)	(Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

## DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET:  
ROC920000078US1

**POWER OF ATTORNEY:** David W. Victor, Reg. No. 39,867; William K. Konrad, Reg. No. 28,868; Gary D. Mann, Reg. No. 34,867; Alan S. Raynes, Reg. No. 39,809; Owen J. Gamon, Reg. No. 36,143; Pryor A. Garnett, Reg. No. 32,136; Steven W. Roth, Reg. No. 34,712; John E. Hoel, Reg. No. 26,279; James R. Nock, Reg. No. 42,937; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; Joseph C. Redmond, Jr., Reg. No. 18,753; Roy W. Truelson, Reg. No. 34,265.


Send correspondence to:

David Victor, Esq  
1180 South Beverly Dr., Ste. 501  
Los Angeles, CA 90035

Direct all telephone calls to David Victor at (310) 553-7977

**FULL NAME OF INVENTOR ONE:** Cary Lee Bates

INVENTORS SIGNATURE:



DATE:


9-7-00

RESIDENCE: 450 73rd Street N.W., Rochester, Minnesota 55901

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence**FULL NAME OF INVENTOR TWO:** Paul Reuben Day

INVENTORS SIGNATURE:



DATE:


9-7-2000

RESIDENCE: 1428 12th Avenue N.E., Rochester, Minnesota 55906

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence**FULL NAME OF INVENTOR THREE:** John Matthew Santosuosso

INVENTORS SIGNATURE:



DATE:

9-8-2000

RESIDENCE: 1402 30th Street N.W., Rochester, Minnesota 55901

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence